

fybroos

SMART ELECTRICAL CREATIONS



BY

KUNDAN CAB

SINCE 1968

WIRES & CABLES
LP - 15 (17th JAN, 2019)



FR-FLAME RETARDANT PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLE (MULTISTRAND)



FR - 180 mtrs. (Double Coil)
Special project packing on request



UFFR- ULTRA FLEXIBLE FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES (MULTISTRAND)

HOME GARD - FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS IS:694
90 mtrs.

Product Code	Number/Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs.	Pkg.
FWC 1001	24/0.2	0.75	843.00	24
FWC 1002	14/0.3	1.0	1101.00	20
FWC 1003	22/0.3	1.5	1638.00	16
FWC 1004	36/0.3	2.5	2659.00	10
FWC 1005	56/0.3	4.0	3919.00	8
FWC 1006	84/0.3	6.0	5818.00	6

Packing : Supplied in attractive cartons.

FWC 1007	80/0.40	10.0	9943.00	4
FWC 1008	126/0.40	16.0	15521.00	4
FWC 1009	196/0.40	25.0	24128.00	2
FWC 1010	276/0.40	35.0	34234.00	1
FWC 1011	396/0.40	50.0	49160.00	1
FWC 1012	357/0.50	70.0	70392.00	1
FWC 1013	484/0.50	95.0	95552.00	1
FWC 1014	614/0.50	120.0	123232.00	1

Packing : Supplied in Polythene Woven Bags and Cloth Packing

HOME GARD - FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS IS:694
180 mtrs.

FWC 1015	24/0.2	0.75	1686.00	12
FWC 1016	14/0.3	1.0	2202.00	10
FWC 1017	22/0.3	1.5	3276.00	8
FWC 1018	36/0.3	2.5	5318.00	6
FWC 1019	56/0.3	4.0	7838.00	4
FWC 1020	84/0.3	6.0	11636.00	3

Packing : Supplied in attractive cartons.

HOME GARD - FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS IS:694
45 mtrs.

FWC 1021	24/0.2	0.75	422.00	48
FWC 1022	14/0.3	1.0	551.00	40
FWC 1023	22/0.3	1.5	819.00	32
FWC 1024	36/0.3	2.5	1330.00	20
FWC 1025	56/0.3	4.0	1960.00	16
FWC 1026	84/0.3	6.0	2909.00	12

Packing : Supplied in attractive cartons.

HOME GARD - FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS IS:694
450 mtrs.

FWC 1027	24/0.2	0.75	4215.00	3
FWC 1028	14/0.3	1.0	5505.00	3
FWC 1029	22/0.3	1.5	8190.00	3
FWC 1030	36/0.3	2.5	13295.00	1
FWC 1031	56/0.3	4.0	19595.00	1
FWC 1032	84/0.3	6.0	29090.00	1

Packing : Supplied in PP Reel with carton packing

HOME GARD - ULTRA FLEXIBLE FLAME RETARDANT (UFFR) MULTI STRAND SINGLE CORE UNSHEATHED INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS IS:694
90 mtrs.

FWC 1167	24/0.2	0.75	825.00	24
FWC 1168	32/0.2	1.0	1052.00	20
FWC 1169	30/0.25	1.5	1548.00	16
FWC 1170	50/0.25	2.5	2501.00	10
FWC 1171	56/0.3	4.0	3812.00	8
FWC 1172	84/0.3	6.0	5652.00	6

Packing : Supplied in attractive carton



FR-LSH- FLAME RETARDANT LOW SMOKE AND HALOGEN PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLE (MULTISTRAND)



FR-LSH- 180 mtrs. (Double Coil)
Special project packing on request



ZHFR- ZERO HALOGEN FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES (MULTISTRAND)



PVC INSULATED SINGLE CORE UN-SHEATHED SOLID/STRANDED COPPER WIRE

XTRA GARD - (FR-LSH) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS 90 mtrs.

Product Code	Number/Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs.	Pkg.
FWC 1033	24/0.2	0.75	876.00	24
FWC 1034	14/0.3	1.0	1153.00	20
FWC 1035	22/0.3	1.5	1688.00	16
FWC 1036	36/0.3	2.5	2719.00	10
FWC 1037	56/0.3	4.0	3986.00	8
FWC 1038	84/0.3	6.0	5871.00	6
FWC 1039	80/0.4	10.0	10106.00	4
FWC 1040	126/0.4	16.0	15692.00	4

Packing : Supplied in attractive cartons upto 6.0 sq. mm.

XTRA GARD - (FR-LSH) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS 180 mtrs.

FWC 1041	24/0.2	0.75	1752.00	12
FWC 1042	14/0.3	1.0	2306.00	10
FWC 1043	22/0.3	1.5	3376.00	8
FWC 1044	36/0.3	2.5	5438.00	6
FWC 1045	56/0.3	4.0	7972.00	4
FWC 1046	84/0.3	6.0	11742.00	3

Packing : Supplied in attractive cartons.

SUPER GARD - (ZHFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS 90 mtrs.

FWC 1047	14/0.3	1.0	1183.00	20
FWC 1048	22/0.3	1.5	1725.00	16
FWC 1049	36/0.3	2.5	2766.00	10
FWC 1050	56/0.3	4.0	4037.00	8
FWC 1051	84/0.3	6.0	5958.00	6

Packing : Supplied in attractive cartons.

SUPER GARD - (ZHFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS 180 mtrs.

FWC 1052	14/0.3	1.0	2366.00	10
FWC 1053	22/0.3	1.5	3450.00	8
FWC 1054	36/0.3	2.5	5532.00	6
FWC 1055	56/0.3	4.0	8074.00	4
FWC 1056	84/0.3	6.0	11916.00	3

Packing : Supplied in attractive cartons.

P.V.C. INSULATED SINGLE CORE UNSHEATHED SOLID / STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS AS PER IS:694 TWISTED 90 mtrs.

Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. mm	Price ₹ Per 90 mtrs.	Pkg.
FWC 1057	1 / .044	1.0 Sq. mm	1303.00	20
FWC 1058	3 / .032	1.5 Sq. mm	1897.00	16
FWC 1059	3 / .041	2.5 Sq. mm (LIGHT)	3184.00	12
FWC 1060	3 / .041	2.5 Sq. mm (HEAVY)	3371.00	10
FWC 1061	7 / .034	4.0 Sq. mm (LIGHT)	5007.00	6
FWC 1062	7 / .034	4.0 Sq. mm (HEAVY)	5220.00	5
FWC 1063	7 / .041	6.0 Sq. mm	7271.00	6
FWC 1064	7 / .053	10.0 Sq. mm	11883.00	4
FWC 1065	7 / .067	16.0 Sq. mm	18778.00	4
FWC 1066	19 / .051	25.0 Sq. mm	29337.00	2
FWC 1067	19 / .060	35.0 Sq. mm	40654.00	1
FWC 1068	19 / .070	50.0 Sq. mm	55763.00	1
FWC 1069	37 / .061	70.0 Sq. mm	82041.00	1
FWC 1070	37 / .071	95.0 Sq. mm	110853.00	1
FWC 1071	37 / .080	120.0 Sq. mm	140206.00	1

Packing : Supplied in attractive cartons, Polythene, Woven Bags and Cloth Packing. Longer Length available on request



PVC INSULATED SINGLE CORE UN-SHEATHED STRANDED COPPER WIRE

P.V.C. INSULATED SINGLE CORE UNSHEATHED STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS as per IS: 694 TWISTED				450 mtrs.	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1072	3/.041	2.5 Sq. mm (LIGHT)	15920.00	1	
FWC 1073	3/.041	2.5 Sq. mm (HEAVY)	16855.00	1	
FWC 1074	7/.034	4.0 Sq. mm (LIGHT)	25035.00	1	
FWC 1075	7/.034	4.0 Sq. mm (HEAVY)	26100.00	1	
FWC 1076	7/.041	6.0 Sq. mm	36355.00	1	
FWC 1077	19/.051	25.0 Sq. mm	146685.00	1	
FWC 1078	19/.060	35.0 Sq. mm	203270.00	1	

Packing : Supplied in PP Reel/Drum Packing.



PVC INSULATED SINGLE CORE SHEATHED STRANDED COPPER WIRE

P.V.C. INSULATED SINGLE CORE UNSHEATHED STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS as per IS: 694 TWISTED				45 mtrs.	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1079	1/.044	1.0 Sq. mm	652.00	40	
FWC 1080	3/.032	1.5 Sq. mm	949.00	32	
FWC 1081	3/.041	2.5 Sq. mm (LIGHT)	1592.00	24	
FWC 1082	3/.041	2.5 Sq. mm (HEAVY)	1686.00	20	
FWC 1083	7/.034	4.0 Sq. mm (LIGHT)	2504.00	12	
FWC 1084	7/.034	4.0 Sq. mm (HEAVY)	2610.00	10	

Packing : Supplied in attractive cartons.

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS as per IS: 694 TWISTED				90 mtrs.	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1085	3 / .041	2.5 SQ. MM (CTS)	3266.00	8	
FWC 1086	7 / .034	4.0 SQ. MM (CTS)	5185.00	8	

Packing : Supplied in woven Bags.

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS as per IS: 694 TWISTED				45 mtrs.	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1163	3 / .041	2.5 SQ. MM (CTS)	1633.00	16	
FWC 1164	7 / .034	4.0 SQ. MM (CTS)	2593.00	16	

Packing : Supplied in woven Bags.



PVC INSULATED SINGLE CORE UN-SHEATHED STRANDED ALUMINIUM WIRE

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED COPPER WIRE (INDUSTRIAL CABLE) VOLTAGE GRADE 1100 VOLTS as per IS: 694 TWISTED				450 mtrs	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1087	3 / .041	2.5 SQ. MM (CTS)	16330.00	1	
FWC 1088	7 / .034	4.0 SQ. MM (CTS)	25925.00	1	

Packing : Supplied in PP Reel with carton packing

TWIN CORE FLAT CABLES WITH STRANDED COPPER CONDUCTOR PVC INSULATED & SHEATHED INDUSTRIAL CABLES VOLTAGE GRADE 1100 VOLTS as per IS:694:2010				90 mtrs	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1165	1.5 Twin Flat		3624.00		

TWIN CORE FLAT CABLES WITH STRANDED COPPER CONDUCTOR PVC INSULATED & SHEATHED INDUSTRIAL CABLES VOLTAGE GRADE 1100 VOLTS as per IS:694:2010				450 mtrs	IS:694
Product Code	Number/Dia of Wire in Inches	Number/Dia of Wire in Sq. Inches	Price ₹	Pkg.	
FWC 1166	1.5 Twin Flat		18120.00	1	

Packing : Supplied in Drum Packing.




TELEPHONE (SWITCH BOARD) CABLES

- No cross talk
- Voice clarity
- Zero noise level
- Fire retardant jacket
- Low attenuation
- High speed transmission

TELEPHONE (SWITCH BOARD) INDUSTRIAL CABLES GENERALLY CONFORMING TO AS PER ITD SPECIFICATION S/WS 113B, 113C & 114B AND DOT SPECIFICATION GR/WIR-06/03 MAR-02 AND INTERNATIONAL SPECIFICATION

Product Code	No. of Pair	Nominal Dia of Cond. (0.4 mm) Price ₹ Per 90 mtrs.	Nominal Dia of Cond. (0.5 mm) Price ₹ Per 90 mtrs.	Pkg.
FWC 1117	1 PAIR	489.00	660.00	20
FWC 1118	2 PAIR	784.00	1102.00	20
FWC 1119	3 PAIR	1137.00	1610.00	16
FWC 1120	4 PAIR	1471.00	2113.00	12
FWC 1121	5 PAIR	1777.00	2574.00	8
FWC 1122	6 PAIR	2189.00	3070.00	8
FWC 1123	7 PAIR	2574.00	3576.00	8
FWC 1124	8 PAIR	2908.00	3979.00	6
FWC 1125	10 PAIR	3623.00	4937.00	6
FWC 1126	12 PAIR	-----	6157.00	5
FWC 1127	15 PAIR	-----	7684.00	4
FWC 1128	20 PAIR	-----	9968.00	3
FWC 1129	25 PAIR	-----	12107.00	1
FWC 1130	30 PAIR	-----	14638.00	1
FWC 1131	35 PAIR	-----	17271.00	1
FWC 1132	50 PAIR	-----	25185.00	1
FWC 1133	75 PAIR	-----	36315.00	1
FWC 1134	100 PAIR	-----	49105.00	1

Packing : Upto 4 pair supplied in attractive cartons above 4 pair supplied in PP woven bags and cloth packing. Longer length available on request



SUBMERSIBLE 3 - CORE FLAT CABLES

THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR PVC INSULATED & SHEATHED INDUSTRIAL CABLES AS PER IS 694:2010 FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UPTO 1100 VOLTS



Product Code	Number/Dia of Wire in mm	Number Area of Conductor Sq. mm	Price ₹ Per Meter
FWC 1135	22 / 0.3 mm	1.5 Sq. mm	64.58
FWC 1136	36 / 0.3 mm	2.5 Sq. mm	98.50
FWC 1137	56 / 0.3 mm	4.0 Sq. mm	144.34
FWC 1138	84 / 0.3 mm	6.0 Sq. mm	210.61
FWC 1139	140 / 0.3 mm	10.0 Sq. mm	351.53
FWC 1140	101 / 0.45 mm	16.0 Sq. mm	563.10
FWC 1141	157 / 0.45 mm	25.0 Sq. mm	875.46
FWC 1142	220 / 0.45 mm	35.0 Sq. mm	1240.37

Packing : Supplied in Polythene wrapping & also available in 500 mtr. & 1000 mtr. on non returnable wooden drum by request.



THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED & SHEATHED INDUSTRIAL CABLES GENERALLY CONFORMING TO IS:7098, PART-1-1988 FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UPTO 1100 VOLTS

Product Code	Number/Dia of Wire in mm	Number Area of Conductor Sq. mm	Price ₹ Per Meter
FWC 1143	22 / 0.3 mm	1.5 Sq. mm	65.49
FWC 1144	36 / 0.3 mm	2.5 Sq. mm	98.87
FWC 1145	56 / 0.3 mm	4.0 Sq. mm	145.00
FWC 1146	84 / 0.3 mm	6.0 Sq. mm	215.06

Packing : Supplied in Polythene wrapping & also available in 500 mtr. & 1000 mtr. on non returnable wooden drum by request.



CO-AXIAL CABLES

CO AXIAL CABLES WITH ELECTROLYTIC GRADE SOLID BARE COPPER CONDUCTOR
GAS INJECTED PHYSICAL FOAM JELLY FLOODED CABLES

Product Code	Description	Price ₹ Per 100 mtrs.	Price ₹ Per 300 mtrs.
FWC 1147	RG-59 C.C.U	1410.00	4230.00
FWC 1148	RG-59 C.C.S	917.00	2751.00
FWC 1149	RG-6 C.C.U	2024.00	6072.00
FWC 1150	RG-6 C.C.S	1328.00	3984.00

Packing : Supplied in 100 mtr. & 300 mtr. in attractive carton, longer length available on request.



NETWORKING LAN CABLES

LAN (COMPUTER) NETWORKING UNSHIELDED TWISTED PAIR (UTP) CABLES **305 mtr.**

Product Code	Description	Price ₹ Per Coil (305 mtr.)	Pkg.
FWC 1153	CAT 5e	7110.00	2
FWC 1154	CAT 6	9566.00	2

Packing : Supplied in 305 mtr. in Box Packing, longer length available on request..



CCTV CAMERA CABLES

CLOSE CIRCUIT TELEVISION (CCTV) ROUND CABLES

100 mtr.

Product Code	Description	Price ₹	Pkg.
FWC 1155	3+1	2940.00	6
FWC 1156	4+1	3337.00	6

Packing : Supplied in 100 mtr. in Polythene Wrapping, longer length available on request.

smart
investment for
your home





multicore

PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE INDUSTRIAL CABLES FOR VOLTAGE GRADE UPTO 1100 VOLTS AS PER IS-694 (2010)

(100 mtrs.)

mm.	Size	Code	1 Core	Code	2 Core	Code	3 Core	Code	4 Core	Code	5 Core
0.50	16/0.20	FWC1173C1	568.00	FWC1173C2	1754.00	FWC1173C3	2343.00	FWC1173C4	3003.00	FWC1173C5	3874.00
0.75	24/0.20	FWC1174C1	767.00	FWC1174C2	2312.00	FWC1174C3	3196.00	FWC1174C4	4283.00	FWC1174C5	5117.00
1.00	32/0.20	FWC1175C1	1002.00	FWC1175C2	2975.00	FWC1175C3	4186.00	FWC1175C4	5135.00	FWC1175C5	6499.00
1.50	22/0.30	FWC1176C1	1585.00	FWC1176C2	3777.00	FWC1176C3	5394.00	FWC1176C4	6851.00	FWC1176C5	9077.00
2.50	36/0.30	FWC1177C1	2525.00	FWC1177C2	5885.00	FWC1177C3	8229.00	FWC1177C4	10708.00	FWC1177C5	13870.00
4.00	56/0.30	FWC1178C1	3894.00	FWC1178C2	9109.00	FWC1178C3	12842.00	FWC1178C4	17021.00	FWC1178C5	20923.00
6.00	84/0.30	-----	-----	FWC1179C2	13597.00	FWC1179C3	19040.00	FWC1179C4	24790.00	FWC1179C5	32031.00
10.00	140/0.30	FWC1180C1	10126.00	FWC1180C2	22793.00	FWC1180C3	32955.00	FWC1180C4	42912.00	FWC1180C5	54856.00
16.00	101/0.45	FWC1181C1	16184.00	FWC1181C2	35619.00	FWC1181C3	50827.00	FWC1181C4	68618.00	FWC1181C5	84757.00
25.00	157/0.45	FWC1182C1	24019.00	FWC1182C2	53217.00	FWC1182C3	79041.00	FWC1182C4	99977.00	FWC1182C5	125878.00
35.00	220/0.45	FWC1183C1	32212.00	FWC1183C2	78757.00	FWC1183C3	110159.00	FWC1183C4	142441.00	FWC1183C5	179312.00
50.00	314/0.45	FWC1184C1	47216.00	-----	-----	FWC1184C3	159821.00	FWC1184C4	211904.00	-----	-----
70.00	354/0.50	FWC1185C1	66499.00	-----	-----	FWC1185C3	220884.00	FWC1185C4	290694.00	-----	-----
95.00	484/0.50	FWC1186C1	91502.00	FWC1186C2	198449.00	FWC1186C3	297172.00	FWC1186C4	396622.00	-----	-----
120.00	614/0.50	FWC1187C1	114680.00	-----	-----	FWC1187C3	373716.00	FWC1187C4	490184.00	-----	-----
150.00	750/0.50	FWC1188C1	143256.00	-----	-----	-----	-----	-----	-----	-----	-----
185.00	925/0.50	FWC1189C1	178044.00	-----	-----	-----	-----	-----	-----	-----	-----
240.00	1221/0.50	FWC1190C1	229087.00	-----	-----	-----	-----	-----	-----	-----	-----
300.00	1521/0.50	FWC1191C1	285519.00	-----	-----	-----	-----	-----	-----	-----	-----
400.00	2036/0.50	FWC1192C1	379362.00	-----	-----	-----	-----	-----	-----	-----	-----

Packing : Supplied in 100 Meter Coil Woven bag /Polythene Wrapping & Also available 300mtr, 500mtr & 1000mtr on non returnable Wooden Drum on request.

LP - 015 (17th JAN 2019) - COPPER



PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE INDUSTRIAL CABLES FOR VOLTAGE GRADE UPTO 1100 VOLTS AS PER IS-694 (2010)

(100 mtrs.)



mm.	Size	Code	6 Core	Code	7 Core	Code	8 Core	Code	10 Core
0.50	10/0.25	FWC1193C6	4841.00	FWC1193C7	5638.00	FWC1193C8	6621.00	FWC1193C10	7457.00
0.75	15/0.25	FWC1194C6	6498.00	FWC1194C7	7135.00	FWC1194C8	8378.00	FWC1194C10	10192.00
1.00	20/0.25	FWC1195C6	7716.00	FWC1195C7	8665.00	FWC1195C8	9712.00	FWC1195C10	12416.00
1.50	22/0.3	FWC1196C6	11628.00	FWC1196C7	12938.00	FWC1196C8	14633.00	FWC1196C10	17783.00
2.50	36/0.3	FWC1197C6	17080.00	FWC1197C7	20291.00	FWC1197C8	22825.00	FWC1197C10	27993.00
4.00	56/0.3	FWC1198C6	26625.00	-----	-----	-----	-----	-----	-----
6.00	84/0.3	FWC1199C6	39368.00	-----	-----	-----	-----	-----	-----
10.00	140/0.30	FWC1200C6	66312.00	-----	-----	-----	-----	-----	-----

mm.	Size	Code	12 Core	Code	16 Core	Code	19 Core	Code	24 Core
0.50	10/0.25	FWC1193C12	8295.00	FWC1193C16	11668.00	FWC1193C19	13891.00	FWC1193C24	18217.00
0.75	15/0.25	FWC1194C12	11747.00	FWC1194C16	15916.00	FWC1194C19	18364.00	FWC1194C24	22288.00
1.00	20/0.25	FWC1195C12	15008.00	FWC1195C16	19169.00	FWC1195C19	23546.00	FWC1195C24	28662.00
1.50	22/0.3	FWC1196C12	21708.00	FWC1196C16	28643.00	FWC1196C19	33827.00	FWC1196C24	40442.00
2.50	36/0.3	FWC1197C12	33937.00	FWC1197C16	46390.00	FWC1197C19	53406.00	FWC1197C24	65174.00
4.00	56/0.3	-----	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	-----	-----	-----	-----	-----	-----	-----	-----
10.00	140/0.30	-----	-----	-----	-----	-----	-----	-----	-----

Packing : Supplied in 100 Meter Coil Woven bag /Polythene Wrapping & Also available 300mtr, 500mtr & 1000mtr on non returnable Wooden Drum on request.



PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE



PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE



P.V.C. INSULATED SINGLE CORE UNSHEATHED STRANDED ALUMINIUM WIRE				90 mtrs	IS:694
VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED					
FWC 1089	7 / .034	4.0 SQ. MM	863.00	16	
FWC 1090	7 / .041	6.0 SQ. MM	1207.00	12	
FWC 1091	7 / .053	10.0 SQ. MM	1719.00	5	
FWC 1092	7 / .067	16.0 SQ. MM	2572.00	5	
FWC 1093	19 / .051	25.0 SQ. MM	3975.00	4	
FWC 1094	19 / .060	35.0 SQ. MM	5183.00	3	

Packing : Supplied in Woven Packing.

P.V.C. INSULATED SINGLE CORE UNSHEATHED STRANDED ALUMINIUM WIRE				450 mtrs	IS:694
VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED					
FWC 1095	7 / .034	4.0 SQ. MM	4315.00	1	
FWC 1096	7 / .041	6.0 SQ. MM	6035.00	1	

Packing : Supplied in Drum Packing.

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE				90 mtrs.	IS:694
VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED					
FWC 1097	7 / .034	4.0 SQ. MM (CTS)	1017.00	8	
FWC 1098	7 / .041	6.0 SQ. MM (CTS)	1303.00	8	
FWC 1099	7 / .053	10.0 SQ. MM (CTS)	1921.00	5	
FWC 1100	7 / .067	16.0 SQ. MM (CTS)	3017.00	5	

Packing : Supplied in Woven Packing.

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE				450 mtrs.	IS:694
VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED					
FWC 1101	7 / 0.34	4.0 SQ. MM (CTS)	5085.00	1	
FWC 1102	7 / 0.41	6.0 SQ. MM (CTS)	6515.00	1	

Packing : Supplied in Drum Packing.

PVC INSULATED SINGLE CORE & MULTICORE SHEATHED SOLID ALUMINIUM CONDUCTOR				90 mtrs.	IS:694
INDUSTRIAL CABLES (SHEATHED) VOLTAGE GRADE upto 1100 VOLTS as per IS: 694					
Product Code of Cond. in Sq. mm	Nominal Area	No. of Core / Size			
		1 Core	2 Core	3 Core	4 Core
FWC 1103	1.5	-----	940.00	-----	-----
FWC 1104	2.5	560.00	1267.00	-----	-----
FWC 1105	4.0	738.00	1682.00	2763.00	-----
FWC 1106	6.0	1041.00	2387.00	3792.00	6192.00
FWC 1107	8.0	-----	-----	4764.00	-----
FWC 1108	10.0	1540.00	3703.00	6191.00	9349.00
FWC 1109	16.0	2477.00	5757.00	-----	13032.00
FWC 1157	25.0	-----	-----	-----	19792.00
FWC 1158	35.0	-----	-----	-----	25651.00
FWC 1159	50.0	-----	-----	-----	35952.00

Packing : Supplied in Woven Packing.

PVC INSULATED SINGLE CORE & MULTICORE SHEATHED SOLID ALUMINIUM CONDUCTOR				450 mtrs.	IS:694
INDUSTRIAL CABLES (SHEATHED) VOLTAGE GRADE upto 1100 VOLTS as per IS: 694					
Product Code of Cond. in Sq. mm	Nominal Area	No. of Core / Size			
		1 Core	2 Core	3 Core	4 Core
FWC 1110	1.5	-----	4700.00	-----	-----
FWC 1111	2.5	2800.00	6335.00	-----	-----
FWC 1112	4.0	3690.00	8410.00	13815.00	-----
FWC 1113	6.0	5205.00	11935.00	18960.00	30960.00
FWC 1114	8.0	-----	-----	23820.00	-----
FWC 1115	10.0	7700.00	18515.00	30955.00	46745.00
FWC 1116	16.0	12385.00	28785.00	-----	65160.00
FWC 1160	25.0	-----	-----	-----	98960.00
FWC 1161	35.0	-----	-----	-----	128255.00
FWC 1162	50.0	-----	-----	-----	179760.00

Packing : Supplied in Drum Packing.

P.V.C. INSULATED SINGLE CORE UNSHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS TWISTED AS PER BS:2004:1964 90 mtrs.

Product Code	Number / Dia of Wire in Inches	Number Area Cond. Sq. mm	Price Per Coil	Std. Pkg.
FWC 1241	7/064	7/16	2310.00	5
(450 mtrs.)				
FWC 1242	7/064	7/16	11550.00	1

P.V.C. INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS TWISTED AS PER BS:2004:1964 90 mtrs.

FWC 1243	7/064	7/16 (CTS)	2795.00	5
(450 mtrs.)				
FWC 1244	7/064	7/16 (CTS)	13975.00	1

TWIN FLAT CORE STRANDED ALUMINIUM CONDUCTOR INSULATED SHEATHED WEATHER PROOF SERVICE WIRE (AVAILABLE IN BLACK & WHITE) 90 mtrs.

FWC 1245	7/0.036	7/20	4.5 Sq. mm	2433.00	4
FWC 1246	7/0.044	7/18	6.0 Sq. mm	2959.00	4
(450 mtrs.)					
FWC 1247	7/0.036	7/20	4.5 Sq. mm	12092.00	1
FWC 1248	7/0.044	7/18	6.0 Sq. mm	14725.00	1

PVC INSULATED SINGLE CORE STRANDED ALUMINIUM CONDUCTOR SHEATHED WEATHER PROOF SERVICE WIRE (AVAILABLE IN BLACK) 90 mtrs.

FWC 1249	7/0.036	4.5 Sq. mm	1106.00	6
FWC 1250	7/0.044	6.0 Sq. mm	1464.00	6
FWC 1251	7/0.064	16.0 Sq. mm	2721.00	5
FWC 1252	7/0.083	25.0 Sq. mm	4409.00	3
(450 mtrs.)				
FWC 1253	7/0.036 (7/20)	4.5 Sq. mm	5492.00	2
FWC 1254	7/0.044 (7/18)	6.0 Sq. mm	7286.00	2
FWC 1255	7/0.064 (7/16)	16.0 Sq. mm	13539.00	1
FWC 1256	7/0.083 (7/14)	25.0 Sq. mm	21960.00	1

PVC INSULATED SINGLE CORE UN-SHEATHED SOLID ALUMINIUM CONDUCTOR INDUSTRIAL CABLES VOLTAGE GRADE upto 1100 Volts 90 mtrs.

FWC 1257	2.5 Sq. mm (CTS)	631.00	16
FWC 1258	4.0 Sq. mm (CTS)	903.00	12
FWC 1259	6.0 Sq. mm (CTS)	1253.00	10
FWC 1260	10.0 Sq. mm (Medium) (CTS)	1505.00	7
FWC 1261	10.0 Sq. mm (Heavy) (CTS)	1672.00	7

Packing : Supplied in Woven Packing

Terms & Conditions :

- Prices are in Indian Rupees.
- This price list cancels all our previous price list.
- Prices are subject to change without prior notice.
- GST extra as applicable.
- Any dispute are subject to Delhi Jurisdiction only.
- As per international practice which is also adopted by BIS. the size of the conductor is decided by its resistance only.
- The construction of the conductor mentioned in the price list are only guide lines and as per market convention, it may vary within the prescribed limit of IS:8130:2013, with related classes and tables.
- The Brand Name, Size of Wire, Voltage Grade and Logo are printed at regular intervals on the Wires & Cables to help in easy identification.
- Buy only from authorized Fybros outlets to be assured of total quality.
- Cables are accepted subject to availability of stock or for economical run after confirmation.
- Sample Cards / Samples are available on request.
- Prices for products not mentioned in the Price List available on request.

INTERNATIONALLY APPROVED



a enterprise

Distributor / Dealer

Mfd. By : M/s. BALAR MARKETING PVT. LTD.
 Regd. Office : 217, Functional Industrial Estate,
 Patparganj, Delhi - 110 092, (INDIA)
 Ph. : +91-11-22169644, 47640747
 Website : www.kundancab.in Email : sales@kundancab.in

